

DIVISION 10 - SPECIALTIES

Contents

| | |
|--|---|
| 10 11 00 Visual Display Surfaces | 2 |
| 10 13 00 Directories..... | 2 |
| 10 14 00 Signage | 2 |
| 10 21 00 Compartments and Cubicles | 2 |
| 10 21 13 Toilet Compartments | 2 |
| 10 28 00 Toilet and Bath Accessories..... | 3 |
| 10 41 00 Emergency Access and Information Cabinets | 3 |
| 10 41 16 Emergency Access Key Cabinets | 3 |
| PRODUCTS AND MATERIALS- DIVISION 10 – SPECIALTIES | 4 |

10 11 00 Visual Display Surfaces

1. The University utilizes dust free marker boards in lieu of traditional chalkboards.
2. The designer shall be aware of the program requirements for the spaces within the facility and specify the appropriate application of any visual display surfaces.

10 13 00 Directories

1. The procurement and installation of facility directories must be included in the bid documents as a Signage Allowance.

10 14 00 Signage

1. The procurement and installation of both interior and exterior signage must be included in the bid documents as a Signage Allowance.
2. All signage shall comply, as applicable, with the [Exterior Signage Guidelines](#) and [Interior Signage Guidelines](#) published by [University Planning](#). The letter style is to be consistent with existing University graphics and applicable codes as adopted by in [Chapter 5](#) the [OSE Manual](#).
3. Room name and number signs are to be located on the wall adjacent to the lock side of the door rather than on the door itself and centered 48-60 inches above the floor.
4. In addition to the room number, residence hall signs shall have a built-in card holder under the room number.
5. Signage that provides emergency information or general circulation directions or identifies rooms or spaces must conform to requirements of ANSI A117.1 and ADA, as to character proportion and color contrast. Signage identifying rooms and spaces must also meet ANSI and ADA requirements for tactile characters and/or symbols.
6. Provide signage stating "Storage Prohibited by Order of the Fire Marshal" in the lowest level of stairwells and in all mechanical, electrical, fire command, fire riser, and IT rooms.

10 21 00 Compartments and Cubicles

10 21 13 Toilet Compartments

1. All toilet partitions in restrooms to be maintained by Facilities Custodial Department are to be the ceiling hung type. Clemson requires polymer based solid surfacing, solid core phenolic, and solid plastic toilet compartments and screen systems designed for long term durability. Laminate, powder coated steel, and stainless steel are not allowed.
2. Each toilet compartment is to be equipped with a coat hook, and with a double roll toilet tissue holder. Single use restrooms and all compartments in women's toilets are to be equipped with personal disposal bag dispenser for each water closet and

shall be placed so that it does not impede the use of other accessible features such as dispensers and grab bars.

10 28 00 Toilet and Bath Accessories

1. Soap dispensers, paper towel dispensers, toilet paper dispensers, and trash receptacles shall be provided by the owner.
2. Do not specify hand dryers. Paper towel dispensers are to be used in all installations.
3. Do not specify Feminine Product Dispensers in restrooms.
4. Toilet Seat Cover Dispensers are only to be placed in public restrooms serving residence halls.
5. All permanent accessories must be surface mounted. As with toilet partitions, Clemson prefers solid surface countertops and shelves in bath locations.
6. Do not construct openings in countertops to receive trash.
7. Accessible reach ranges as defined by the most recent version of ICC A117.1 are to be maintained on all mirrors, shelves, coat hooks, dispensers, grab bars, etc.
8. Mirrors must be located such that reflected images will not be presented to adjacent rooms.
9. Design space to accommodate one 23-gallon waste receptacle near but not blocked by the door.
10. Provide fully detailed mounting locations for all accessories.

10 41 00 Emergency Access and Information Cabinets

10 41 16 Emergency Access Key Cabinets

Specify that all new facilities and facilities undergoing significant exterior renovation shall have an emergency access high security key box. Location of this key box shall be as specified by the [Fire Code Official](#) and mounted approximately 5' above the finished walking surface.

PRODUCTS AND MATERIALS- DIVISION 10 -

SPECIALTIES

Coat/Robe Hooks

- Housing: Bobrick B-76727 or approved equal

Emergency Access Key Cabinets

- Series 4400 Knox Box: Model 4443 (Recessed Mount, Dark Bronze)

Personal Disposal Bag Dispenser

- Hospeco Personal Bag Dispenser in White. Model: HOSSDW or approved equal

Paper Towel Dispensers

- Georgia Pacific enMotion 10" Automated Touchless Towel Dispenser. Model: 59462A or approved equal

Seat Cover Dispensers

- Owner specified if used. Must be approved by Custodial Services prior to installation.

Soap and Sanitizer Dispensers

- Nexa Classic Touch Free Dispenser in Black. Model: 5492021192 or approved equal

Toilet Paper Dispensers

- Georgia Pacific Compact Side-by-Side Double Roll Coreless Bathroom Tissue Dispenser. Model #: 56784A or approved equal
- For Residential Facilities: Georgia Pacific Quad 4 Roll Coreless Bathroom Tissue Dispenser. Model #: 56744A or approved equal

Trash Cans

- 23 Gallon that meets the following:
 - Visually complements finishes, fixtures, etc. in space
 - Meets ADA reach ranges
 - Efficiently utilizes floor space within the restroom.

