

Metasys Quick Start

How to Get Started Using a Windows PC

To connect to *Metasys*, users must first install the Johnson Controls Launcher on a PC running Microsoft Windows 7 or higher and setup *Metasys* as a 'site' that the Launcher can connect to.

Johnson Controls Launcher

Metasys is a service that can be accessed using the Johnson Controls Launcher application. To begin the installation, visit the Metasys portal at <u>https://clemsonadx.clemson.edu/metasys</u>.



Click on 'Full Launcher Installer' to download the launcher.msi file. Locate the download on your PC and open it. When started, the Johnson Control launcher should resemble the one on the following page. As you proceed through the installation, simply go with the default settings and check any boxes that are required to proceed.



Click Next...



...Next...



Check I accept the terms in the License Agreement and click Next...

岁 Johnson Controls - Launcher 1	1.3 Setup 🗕 🗆 🗙
Destination Folder Click Next to install to the default folder or click Browse	Johnson Controls
Install Launcher to:	
C:\Program Files (x86)\Johnson Controls\Jauncher\ Browse	
✔ Create desktop shortcut	
Back	Next Cancel

Next...unless you wish to change the default folder.



Click Install. If you are unable to install this software, please contact your IT consultant or Technical Support Provider.



Run Launcher after clicking Finish should be checked. If not, please **check the box**. Click **Finish** to exit the Johnson Controls Launcher installation.

Create a Metasys Shortcut

Now that the Johnson Controls Launcher is installed, you can now **add Metasys as a site** that you can connect to using this software. You can also **create a desktop shortcut** that allows you to go straight into Metasys, bypassing the Launcher software.

Launcher Add Delete	Edit Launch		Johnson Controls
Description	▲ IP/Host Name	Search Versi	on:
	Click Add		

After clicking Finish, the Launcher should open. Click Add.

Add New	×
SMP/SCT	Bookmark
IP Address or Host Name: clemsonadx.clemson.edu	Discover
Save	Cancel

Type clemsonadx.clemson.edu in the IP Address/Host Name field and then click Discover.

Add New					X
SMP/SCT		Bookmark			
IP Address or Host Name: clemsonadx.clemson.edu		Change c	lemsonadx.cler	mson.edu to Metasys	Discover
Add Version SMP ✔ 9.0.0.4087	Default La English (U	nguage Inited States)	Description V Metasys	Create	Shortcut
SCT 12.0.0.2773	English (L ave	Inited States)	clemsonadx.clei	mson.edu Cancel	

Additional fields and check boxes will appear. Change the description to *Metasys*, check *Create Shortcut* and click Save.

Launcher Add Delete	Edit Launch	METASYS'
SMP		P Search
Description	.▲ IP/Host Name	Version:
Metasys	clemsonadx. lemson.edu	9.0.0.4087
	Metasys site. Select and click	Launch.
Johnson 则们 Controls		© Johnson Controls 2013 - 2017



Metasys	- 0	×
	R	
METAS	SYS	
Username:		
Password:		
Login		
Johnson 2007 Controls	© 2003-2017 Johnson Contr	ols, Inc.

The Metasys login screen should appear. If you do not have an account, or have any questions about this tutorial, please contact Utility Services' <u>Energy Management representative</u>.



As a final step, **delete the Launcher icon** from your desktop. Your PC is now configured to run Metasys.